

FULWIDER • PATTON
FULWIDER PATTON LEE & UTECHT, LLP
HOWARD HUGHES CENTER
6060 CENTER DRIVE, TENTH FLOOR
LOS ANGELES, CALIFORNIA 90045
(310) 824-5555 • (310) 824-9696 FAX

RECEIVED
CENTRAL FAX CENTER

MAR 23 2004

OFFICIAL

FACSIMILE TRANSMISSION

Date: March 23, 2004

Telephone

Facsimile

To: USPTO
CENTRAL FACSIMILE NUMBER

703-872-9306

CONFIDENTIALITY NOTICE

THE DOCUMENTS ACCOMPANYING THIS TELECOPY TRANSMISSION CONTAIN CONFIDENTIAL INFORMATION BELONGING TO THE SENDER WHICH IS LEGALLY PRIVILEGED. THE INFORMATION IS INTENDED ONLY FOR THE USE OF THE INDIVIDUAL OR ENTITY NAMED ABOVE. IF YOU ARE NOT THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT ANY DISCLOSURE, COPYING, DISTRIBUTION OR THE TAKING OF ANY ACTION IN RELIANCE ON THE CONTENTS OF THIS TELECOPIED INFORMATION IS STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS TELECOPY IN ERROR, PLEASE IMMEDIATELY NOTIFY US BY TELEPHONE TO ARRANGE FOR RETURN OF ORIGINAL DOCUMENTS TO US.

From: Ronald E. Perez

Re: U.S. Application Ser. No. 09/307,511
Filed: May 7, 1999
Title: Pressure-Controlled Breathing Aid
Applicant: Guy Bourdon
Art Unit: 3761
Examiner: Darwin P. Erez
Ouor Docket No. PBLMD-51494

Client/Matter: PBLMD-51494

Number of pages (Incl. this page): 15

If You Do Not Receive All Pages, Please Call Nancy Whitlock at (310) 824-5555, Ext. 721

☐ Original to follow ☒ Original will NOT follow

COMMENTS/MESSAGE:

Per voicemail of today from Examiner Darwin P. Erez, attached is a copy of our Response to Final Office Action for the above-identified patent application facsimiled to Examiner Erez's direct fax number on March 15, 2004 and on February 23, 2004 to the Central USPTO Facsimile Number. A copy of our Facsimile Cover Sheets and Confirmation Reports are also attached.

Send Confirmation Report

Name: FULWIDER L.A.

ID: 3108249696

15 Mar 04 1:54PM Page 1

Job	Start time	Usage	Phone Number or ID	Type	Pages	Mode	Status
71	3/15 1:50PM	3'19"	17037467468.....	Send.....	13/13	EC144	Completed.....
Total:		3'19"	Pages sent: 13	Pages printed: 0			

FULWIDER • PATTON

FULWIDER PATTON LLP & UTICHT, LLP

HOWARD HUGHES CENTER
6060 CENTER DRIVE, TENTH FLOOR
LOS ANGELES, CALIFORNIA 90045
(310) 824-5555 • (310) 824-9696 FAX

FACSIMILE TRANSMISSION

Date: March 15, 2004

Telephone

Facsimile

To: Examiner Darwin P. Exco
USPTO

703-746-7668

CONFIDENTIALITY NOTICE

THE DOCUMENTS ACCOMPANYING THIS TELECOPY TRANSMISSION CONTAIN CONFIDENTIAL INFORMATION BELONGING TO THE PERSON WHICH IS LEGALLY PROTECTED. THE INFORMATION IS INTENDED ONLY FOR THE USE OF THE INDIVIDUAL OR ENTITY NAMED ABOVE. IF YOU ARE NOT THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT ANY DISCLOSURE, COPYING, DISTRIBUTION OR THE TAKING OF ANY ACTION IN RELIANCE ON THE CONTENTS OF THIS TELECOPIED INFORMATION IS STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS TELECOPY IN ERROR, PLEASE IMMEDIATELY NOTIFY US BY TELEPHONE TO ARRANGE FOR RETURN OF ORIGINAL DOCUMENTS TO US.

From: Ronald E. Perez

Re: U.S. Application Ser. No. 09/207,511
Filed: May 7, 1999
Title: Pressure-Controlled Breathing Aid
Applicant: Gray Bourdon
Att Unit: 3761
Examiner: Darwin P. Exco
Our Docket No. FB1MD-51494

Client/Matter: FB1MD-51494

Number of pages (incl. this page): 13

If You Do Not Receive All Pages, Please Call Nancy Whitlock at (310) 824-5555, Ext. 721

☐ Original to follow ☒ Original will NOT follow

COMMENTS/MESSAGE:

For our telephone conversation of today, please find attached a copy of our Response to Final Office Action facsimiled to the USPTO on February 23, 2004 and a copy of our Facsimile Cover Sheet and Confirmation Report for the above-identified patent application.

FULWIDER • PATTON
FULWIDER PATTON LEE & UTECHT. LLP
HOWARD HUGHES CENTER
6060 CENTER DRIVE, TENTH FLOOR
LOS ANGELES, CALIFORNIA 90045
(310) 824-5555 • (310) 824-9696 FAX



FACSIMILE TRANSMISSION

Date: March 15, 2004

TelephoneFacsimileTo: Examiner Darwin P. Erez
USPTO

703-746-7468

CONFIDENTIALITY NOTICE

THE DOCUMENTS ACCOMPANYING THIS TELECOPY TRANSMISSION CONTAIN CONFIDENTIAL INFORMATION BELONGING TO THE SENDER WHICH IS LEGALLY PRIVILEGED. THE INFORMATION IS INTENDED ONLY FOR THE USE OF THE INDIVIDUAL OR ENTITY NAMED ABOVE. IF YOU ARE NOT THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT ANY DISCLOSURE, COPYING, DISTRIBUTION OR THE TAKING OF ANY ACTION IN RELIANCE ON THE CONTENTS OF THIS TELECOPIED INFORMATION IS STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS TELECOPY IN ERROR, PLEASE IMMEDIATELY NOTIFY US BY TELEPHONE TO ARRANGE FOR RETURN OF ORIGINAL DOCUMENTS TO US.

From: Ronald E. Perez

Re: U.S. Application Ser. No. 09/307,511
Filed: May 7, 1999
Title: Pressure-Controlled Breathing Aid
Applicant: Guy Bourdon
Art Unit: 3761
Examiner: Darwin P. Erez
Our Docket No. PBLMD-51494

Client/Matter: PBLMD-51494

Number of pages (Incl. this page): 13

If You Do Not Receive All Pages, Please Call Nancy Whitlock at (310) 824-5555, Ext. 721

☐ Original to follow ☒ Original will NOT follow

COMMENTS/MESSAGE:

Per our telephone conversation of today, please find attached a copy of our Response to Final Office Action facsimiled to the USPTO on February 23, 2004 and a copy of our Facsimile Cover Sheet and Confirmation Report for the above-identified patent application.

Send Confirmation Report

Name: FULWIDER L.A.

ID: 3108249696

23 Feb 04 8:25PM Page 1

Job	Start time	Usage	Phone Number or ID	Type	Pages	Mode	Status
915	2/23 8:22PM	2'58"	17038729306.....	Send.....	11/11	EC144	Completed.....

Total: 2'58"

Pages sent: 11

Pages printed: 0

FULWIDER • PATTON
 FULWIDER PATTON LEE & UTICHT, LLP
 HOWARD HUGHES CENTER
 4040 CENTER DRIVE, TENTH FLOOR
 LOS ANGELES, CALIFORNIA 90041
 (310) 824-3555 • (310) 824-1696 FAX

FACSIMILE TRANSMISSION

Date: February 23, 2004

Telephone

Facsimile

To: USPTO

703-872-9306

CONFIDENTIALITY NOTICE
 THE DOCUMENTS ACCOMPANYING THIS TELECOPY TRANSMISSION CONTAIN CONFIDENTIAL INFORMATION BELONGING TO THE SENDER HEREON IS LEGALLY PROTECTED. THE INFORMATION IS INTENDED ONLY FOR THE USE OF THE INDIVIDUAL OR ENTITY NAMED ABOVE. IF YOU ARE NOT THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT ANY DISCLOSURE, COPYING, DISTRIBUTION OR THE TAKING OF ANY ACTION IN RELIANCE ON THE CONTENTS OF THIS TELECOPIED INFORMATION IS STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS TELECOPY IN ERROR, PLEASE IMMEDIATELY NOTIFY US BY TELEPHONE TO ARRANGE FOR RETURN OF ORIGINAL DOCUMENTS TO US.

From: Ronald E. Porco

Re: Serial No. 00/307,511; Filed May 7, 1999
 Title: PRESSURE-CONTROLLED BREATHING AID
 Art Unit: 3761
 Examiner: Darwin P. Erco
 Customer No. 24281

Class/Marker: PBLMD-51494

Number of pages (incl. this page): 11

If You Do Not Receive All Pages, Please Call Nancy Whitlock at (310) 824-5555, Ext. 721

☐ Original to follow ☒ Original will NOT follow
COMMENTS/MESSAGE:

Attached is a Response to Final Office Action mailed December 23, 2003.

FULWIDER • PATTON

FULWIDER PATTON LEE & UTECHT. LLP

HOWARD HUGHES CENTER
6060 CENTER DRIVE, TENTH FLOOR
LOS ANGELES, CALIFORNIA 90045
(310) 824-5555 • (310) 824-9696 FAX



FACSIMILE TRANSMISSION

Date: February 23, 2004

Telephone

Facsimile

To: USPTO

703-872-9306

CONFIDENTIALITY NOTICE

THE DOCUMENTS ACCOMPANYING THIS TELECOPY TRANSMISSION CONTAIN CONFIDENTIAL INFORMATION BELONGING TO THE SENDER WHICH IS LEGALLY PRIVILEGED. THE INFORMATION IS INTENDED ONLY FOR THE USE OF THE INDIVIDUAL OR ENTITY NAMED ABOVE. IF YOU ARE NOT THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT ANY DISCLOSURE, COPYING, DISTRIBUTION OR THE TAKING OF ANY ACTION IN RELIANCE ON THE CONTENTS OF THIS TELECOPIED INFORMATION IS STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS TELECOPY IN ERROR, PLEASE IMMEDIATELY NOTIFY US BY TELEPHONE TO ARRANGE FOR RETURN OF ORIGINAL DOCUMENTS TO US.

From: Ronald E. Perez

Re: **Serial No. 09/307,511**; Filed May 7, 1999
Title: PRESSURE-CONTROLLED BREATHING AID
Art Unit: 3761
Examiner: Darwin P. Erez
Customer No. 24201

Client/Matter: PBLMD-51494

Number of pages (Incl. this page): 11

If You Do Not Receive All Pages, Please Call Nancy Whitlock at (310) 824-5555, Ext. 721

☐ Original to follow ☒ Original will NOT follow

COMMENTS/MESSAGE:

Attached is a Response to Final Office Action mailed December 23, 2003.

42826.1